

To: [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@tetrattech.com]
From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Mon 1/25/2021 8:11:22 PM (UTC)
Subject: Fwd: Emailing: C-13 B-4 Analytical
[C-13 B-4 Analytical.pdf](#)

[Nonresponsive based on revised scope]

Please enter these results into scribe. Thank you

Begin forwarded message:

From: [Nonresponsive based on revised scope]@erllc.com>
Date: January 25, 2021 at 2:34:24 PM EST
To: "Wagner, Christine" <Wagner.Christine@epa.gov>
Cc: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Emailing: C-13 B-4 Analytical

Your message is ready to be sent with the following file or link attachments:

C-13 B-4 Analytical

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.